# Laucks Testing Laboratories, Inc.

Certificate

940 South Harney St., Seattle. Washington 98108 (206)767-5060

Chemistry Microbiology, and Technical Services

CLIENT: Alaskan Copper Works

P.O. Box 3546 Seattle, WA 98124 ATTN: Jim Brown LABORATORY NO. 7739

DATE: Jan. 25, 1988

PO# M4747

REPORT ON: MATERIAL

**SAMPLE** 

IDENTIFICATION: Submitted 01/12/88 and identified as shown below:

ID# 3200-M4747

TESTS PERFORMED AND RESULTS:

The 96 hour static fish bioassay was performed in accordance with Washington State Department of Ecology methods, with results attached.

96 HOUR STATIC FISH BIOASSAY

### Description of Waste

A tan material resembling pudding in texture.

### Description of Test Set Up

The test was performed in triplicate at concentrations of 1000 ppm, 100 ppm, and 0 ppm in glass aquaria (8" x 10" x 14") containing 30 liters of tap water with a hardness of about 110 mg/L. Light was provided with fluorescent lamps for 18 hours per day. All test and control aquaria contained 10 organisms. The tanks were aerated during the first 24 hours of the test period only. The test was started on 01/18/88. The waste was added to the tanks directly.







940 South Harney St., Seattle, Washington 98108 (206)767-5060

Chemistry, Microbiology, and Technical Services

PAGE NO. 2

Alaskan Copper Works

LABORATORY NO. 7739

### Test Organism Information:

Species:

Pimephales promelas (fathead minnow)

Mean Length:

0.4 grams

Mean Length:

4.0 cm

Longest: Shortest:

4.4 cm 3.4 cm

Ratio (long/short):

1.3

Ratio of flesh to water:

0.13 grams/L

Source of test organisms:

Kurtz Fish Hatchery

Diseases observed:

None

Food used:

Wardley's dry flake food for large cichlids

History:

Fish were acclimated at least 2 weeks prior to test

# Observations of Effects or Symptoms:

None

# Mortalities Observed in 30 test organisms:

	<u>Mortalities</u>	%
1000 parts per million 100 parts per million	0 0	0
control	1	3







940 South Harriey St., Seattle, Washington 98108 (206)767-5060

Chemistry Microbiology and Technical Services

PAGE NO. 3

Alaskan Copper Works

LABORATORY NO. 7739

Water Chemistry Results: (mean +/- standard deviation)

	1000 ppm	100 ppm	<u>control</u>
Dissolved Oxygen, mg/L	7.1 +/- 1.9	7.3 +/- 1.9	7.2 +/- 1.9
pH	7.5 +/- 0.1	7.5 +/- 0.2	7.4 +/- 0.1
Temperature, degrees C	22. +/- 0.	22. +/- 0.	22. +/- 0.
Hardness, mg/L	150. +/- 4.7	150. +/- 7.4	160. +/- 4.7
Alkalinity, mg/L	51. +/- 1.	51. +/- 2.	49. +/- 2.
Conductivity, micromhos/cm	310. +/- 4.7	300. +/- 8.9	300. +/- 6.8

## Conclusions

Based on an evaluation of test mortalities (corrected for control mortality), this waste would be classified as undesignated waste.

## Water Chemistry Test Methods

Dissolved Oxygen		part	
рН	SM,	part	423
Total Hardness	SM.	part	314B
Total Alkalinity		part	
Specific Conductance	SM,	part	205

\*SM = Standard Methods, 15th edition







Chemistry, Microbiology, and Technical Services

Alaskan Copper Works

PAGE NO. 4 LABORATORY NO. 7739

Respectfully submitted,

Laucks Testing Laboratories, Inc.

J. M. Owens

JMO:emt

